

# ADVANCE PETROCHEMICALS LTD.

(AN ISO-9001-2008 Company)

Regd. Office : 36,, Kothari Market,  
Opp. Hirabhai Market, Kankaria,  
Ahmedabad - 380 022.  
Phone : 079-25454795, 25450609  
Fax No. : 79 - 25454586  
Email : info@advancepetro.com  
CIN - L23200GJ1985PLC008013



Date : 17/04/2017

To,  
The Secretary,  
Deptt. of Corporate Services,  
BSE Limited,  
25<sup>th</sup> Floor, Phiroj Jeejibhoy Tower,  
Dalal Street, Fort,  
Mumbai - 400 001

Dear Sir/Madam,

Ref: Company Code : 506947

Sub: Statement of Investor Complaints for the quarter ending 31/03/2017

Please find enclosed herewith Statement on Investor Complaints for the quarter ending 31/03/2017 in terms of regulation 13 (3) of SEBI (LODR), Regulations, 2016

Please note that there is no complaint outstanding as at the end of the quarter.

Kindly take the same on record.

Thanking you,  
Yours faithfully,  
For Advance Petrochemicals Limited

(Arvind Goenka)  
(Director)  
DIN: 00093200





# ADVANCE PETROCHEMICALS LTD.

(AN ISO-9001-2008 Company)

Regd. Office : 36,, Kothari Market,  
Opp. Hirabhai Market, Kankaria,  
Ahmedabad - 380 022.  
Phone : 079-25454795, 25450609  
Fax No. : 79 - 25454586  
Email : info@advancepetro.com  
CIN - L23200GJ1985PLC008013



## STATEMENT OF INVESTOR COMPLAINTS UNDER REGULATION 13 (3) OF SEBI

No. of Investor Complaints beginning at the quarter i.e. on Jan 1, 2017	Nil
Number of Investor Complaint received during the quarter	Nil
Number of investor complaints disposed off during the quarter	Nil
Number of Investor Complaints remaining unsolved at the end of the quarter i.e March 31, 2017	Nil

For Advance Petrochemicals Limited

  
(Arvind Goenka)  
(Director)  
DIN: 00093200

No. of Investor Complaints beginning at the quarter i.e. on Jan 1, 2017	Nil
Number of Investor Complaint received during the quarter	Nil
Number of investor complaints disposed off during the quarter	Nil
Number of Investor Complaints remaining unsolved at the end of the quarter i.e March 31, 2017	Nil

(Arvind Goenka)  
(Director)  
DIN: 00093200

