

Annexure 1 – DR Connection parameters of BOLT Plus Trading system for Commodity Derivatives segment

Trading members can connect to the DR site of BOLT Plus trading system using either BOLT TWS or 3rd party trading application of empanelled vendors or in-house developed systems through IML exe ver.7.0 & above or ETI APIs as follows –

1. BOLT TWS Users

Trading members shall have to change the technical connection parameters in the configuration settings window at the time of login. Configuration settings window can be invoked using the scrip profile icon or “Shift+F12” shortcut keys on BOLT TWS.

Configuration Settings

Connectivity Mode
 Production
 Interactive Leased Line Internet
 Broadcast Leased Line Internet Direct
 Masters Leased Line Internet

IP Settings (View / Edit)
 Leased Line Internet

Segment	Production		Disaster Recovery	
	IP	Port	IP	Port
Eq/Derv				
IP 1	10 . 255 . 255 . 6	12908	10 . 255 . 241 . 10	12908
IP 2	10 . 255 . 255 . 7	12908	10 . 255 . 241 . 11	12908
Eq MCast IP	227 . 0 . 0 . 21	12996	Mcast IP/Port Same as Production	
Derv MCast IP	227 . 0 . 0 . 22	12997	Mcast IP/Port Same as Production	
Commodity				
IP 1	10 . 255 . 255 . 12	14908	10 . 255 . 241 . 10	14908
IP 2	10 . 255 . 255 . 13	14908	10 . 255 . 241 . 11	14908
MCastIP	228 . 0 . 0 . 22	14996	Mcast IP/Port Same as Production	
Currency				
IP 1	10 . 255 . 255 . 12	10408	10 . 255 . 241 . 10	10908
IP 2	10 . 255 . 255 . 13	10908	10 . 255 . 241 . 11	10908
MCastIP	229 . 0 . 0 . 21	10996	Mcast IP/Port Same as Production	
Extranet IP	10 . 1 . 101 . 108		10 . 1 . 101 . 213	

General Settings
 IML Port 6001
 Admin Trade CSV File /Feed Format with Deal Code Broadcast Logging

Other Settings
 Market Report Frequency 6 x 10 Sec
 Market Information Update Frequency Medium

Scrip Id / Name Display
 Equity Scrip Id Scrip Name
 Derivative Scrip Id Scrip Name

Change Save Cancel

2. 3rd party trading application through IML or ETI APIs

i. Connecting through IML exe – members shall have to change the technical connection parameters in the IML configuration settings window at the time of login.

Configuration Setting

Member Settings Help

Member Id

BOLTplus Host Side (Interactive Settings)

Host IP Port No

Alt Host IP Alt Port No

DR Host IP DR Port No

DR Alt Host IP DR Alt Port No

Host MultiCast Setting

Host MulticastIP Port

Host Interface IP

TPS Interactive setting

TPS Port No.

TPS UDP/Multicast Settings

UDP Multicast

UDP Address UDP Port

Trade Generation Mode

Persistent Execution Report *(New)*

ii. Connecting through ETI – members shall have to change the technical connection parameters in their respective trading application as follows –
Primary DR – IP: 10.255.241.10; Port: 14908
Secondary DR – IP: 10.255.241.11; Port: 14908

****End of Document****